

Manufacturer & Exporter of

Automatic **F.F.S. Pouch Packing** **Machineries**  
& **Pharmaceutical** **Machineries**

# Automatic FFS Series

## Pouch Packing Machine



Base on Type of Seal

## Three Side Sealing

### Technical Specifications

Type of Sealing	Three Side Seal or Side Sealing
Dimensions (LxWxH)	500mm x 700mm X 1800mm
Size of bag/pouch	W:30mm to 200mm   L:30mm to 150mm
Packing material	Heat sealable laminated films
Filling Range	0.5gms. to 100gms. *
Filling system	Fix cup & Adjustable cup
optional attachmets	Heater indicator
	Batch coding device   Vibratory feeder *
Filling acuracy	±1%
Production output	<b>50 to 250 pouch per minute</b>
Net weight	380kgs. Approx.
Optional attachments	Batch coding device   Heater indicator
Power consumption	2kw,1/2 hp motor standard,220v single phase,50hz
applications	Mouth fresheners, Tea, tobacco, ORS powder,etc.

\*depends on nature of the product



Three Side Sealing Machines offered by Shree Chamunda Machinery Co. is an ultimate solution to the packaging requirements taking less time. The machines offered by the company are of supreme quality meeting the needs of Indian as well as International Market. The unique feature of these three side sealing machines in India is that they provide sealing solutions from the three sides of the product in one time.

# Automatic FFS Series

## Pouch Packing Machine




Base on Type of Seal

## Centre Sealing

### Technical Specifications

Type of Sealing	Centre Sealing
Dimensions (LxWxH)	560mm x 700mm x 2000mm
Size of bag/pouch	W:30mm to 400mm   L:30mm to 250mm
Packing material	Heat sealable laminated films
Filling Range	0.5gms. to 250gms.*
Filling system	Fix cup
optional attachmets	Adjustable cup   Heater indicator Batch coding device   Vibratory feeder *
Filling acuracy	±1%
Production output	<b>50 to 100 pouch per minute</b>
Net weight	400kgs. Approx.
Optional attachments	Batch coding device   Heater indicator
Power consumption	2kw,1/2 hp motor standard,220v single phase,50hz
applications	snacks, Tea, granuels, sugar, spices, namkeen, etc.

\*depends on nature of the product



The FFS Center Sealing Machines are the one considered as a fabulous alternative for the ultra sonic machines. The main purpose of these sturdy machines is to provide usage for the center sealing of clear leaf and files. This FFS Center Sealing Machines in India comes in two distinct categories including heavy duty machines and light duty machines.

# Automatic FFS Series

## Pouch Packing Machine



Base on Type of Seal

## Four Side Sealing

### Technical Specifications

Type of Sealing	Four Side Sealing
Dimensions (LxWxH)	500mm x 700mm X 1800mm
Size of bag/pouch	W:30mm to 200mm   L:30mm to 150mm
Packing material	Heat sealable laminated films
Filling Range	0.5gms. to 100gms. *
Filling system	Fix cup
optional attachmets	Adjustable cup   Heater indicator
	Batch coding device   Vibratory feeder *
Filling acuracy	±1%
Production output	<b>50 to 100 pouch per minute</b>
Net weight	380kgs. Approx.
Optional attachments	Batch coding device   Heater indicator
Power consumption	2kw,1/2 hp motor standard,220v single phase,50hz
applications	Liquid,paste,mouthfreshners etc.

\*depends on nature of the product



Four Side Sealing Machines offered by Shree Chamunda Machinery Co. is an ultimate solution to the packaging requirements taking less time. The machines offered by the company are of supreme quality meeting the needs of Indian as well as International Market. The unique feature of these Four side sealing machines in India is that they provide sealing solutions from the four sides of the product in one time.

# Automatic FFS Series

## Pouch Packing Machine



Volumetric Cup Filler

## Powder Filling

### Technical Specifications

Type of Sealing	Three side sealing, Center sealing
Dimensions (LxWxH)	560mm x 700mm x 2000mm
Size of bag/pouch (for 3-side sealing)	W:30mm to 200mm   L:30mm to 150mm
Size of bag/pouch (for center sealing)	W:30mm to 300mm   L:30mm to 200mm
Filling Range	1 gms. to 1kgs.*
Filling system	Fix cup, adjustable cup, slider mechanism
Material contact parts	SS304,316,316L
Filling accuracy	±1%
Production output	25-50 pouch per minute
Net weight	400kgs. Approx..
Optional attachments	Batch coding device   Heater indicator   Belt conveyor system
Power consumption	2kw,1/2 hp motor standard,220v single phase,50hz
applications	Detergent powder,salt,or powder,spices powder etc.

\*depends on nature of the product



Shree Chamunda Machinery Co. leading Powder Packing Machine manufacturer, exporter, supplier in Ahmedabad, Gujarat, India. In order to attain the maximum satisfaction of our esteemed clients, we are engaged in manufacturing, distributing and supplying the finest quality Automatic Powder Packing Machine. The provided Powder Packing Machine has metering adjust device enables loss reducing, volume of the packaging changing anytime and improve productivity. Embedded sealing, enhanced structure of heat sealing intelligent temperature controller and excellent heat balance make all kinds of packaging materials possible with good performance, low noise, clear cutting pattern and strong seal ability.

# Automatic FFS Series

## Pouch Packing Machine




## Liquid Filling

### Technical Specifications



Type of Sealing	Three side sealing, Center sealing
Dimensions (LxWxH)	560mm x 700mm x 1800mm
Packing material	Poly ester/poly,foil etc.
Filling Range	1ml to 200ml
Filling accuracy	±1%
Material contact parts	SS304,316,316L
Production output	<b>50 pouch per minute</b>
Net weight	380kgs.
Optional attachments	Batch coding device, Heater indicator
Power consumption	2kw,1/2 hp motor standard,220v single phase,50hz
applications	Shampoo,oil,paste,etc.

\*depends on nature of the product



Shree Chamunda Machinery Co. leading Liquid Filling Machine manufacturer, exporter, supplier in india. Highly suitable for packing viscous and semi viscous fluids such hair oil, shampoo, cream, ketch up, coconut oil, edible oil etc.

# Automatic FFS Series

## Pouch Packing Machine



Volumetric Cup Filler

## Heavy Weight Packing

### Technical Specifications

Type of Sealing	Centre Sealing
Dimensions (LxWxH)	560mm x 700mm x 2000mm
Size of bag/pouch	W:200mm to 400mm   L:100mm to 25mm
Packing material	Heat sealable laminated films
Filling Range	50gms. to 1kg.*
Filling system	Fix cup & adjustable cup
Filling accuracy	±1%
Production output	<b>25 to 50 pouch per minute</b>
Net weight	450kgs. Approx.
Optional attachments	Batch coding device   Heater indicator   Belt conveyor system
Power consumption	2kw, 1/2 hp motor standard, 220v single phase, 50hz
applications	Tea, granuels, spices, namkeen, rice, pulses, grains etc.

\*depends on nature of the product



With the consistent focus on our quality, we offer a superior quality Heavy Weight Packing Machine. These are made at our well-equipped manufacturing unit under the supervision of highly experienced professionals. The professionals of our team follow ethical business policies and perform transparency in all our business dealing to attain the maximum client's contentment.



## :- About us :-



Make in India

SHREE CHAMUNDA MACHINERY Co. was established in the year 1982 related to automatic pharmaceutical & pouch packing machineries. Mr. Mansukhbhai K. Mistry, A business person was founder of this well known organization. Recently, Mr. Jayeshkumar M. Mistry (B.E Mech), A business person, son of Mr . Mansukhbhai K. Mistry hold the entire business using latest technology, Premium quality, advance design to develop & expand business in progressive way. Mainly, his goal is to stand up small scale business people.

We Provide Wide Range Of Products For The Different Requirements of The Customers. Our Machineries Are Successfully Operated In Many Fields Like Food, Beverages, Cosmetics and Pharmaceuticals. The Standard Quality And Best Performance of The Products Lead us to Success And Repeat Business With Our Valued Customers.

## OUR GLOBAL PRESENCE



*Green India My Dream India...!!!*

Head Office & Factory



## SHREE CHAMUNDA MACHINERY Co.



Manufacturer & Exporter of Automatic F.F.S Pouch Packing & Pharmaceutical Machinery

:- CONTACT Us :-	
Address	2-Shanti Estate , Opp. Shree Hari Estate, Nr. Ramol Police Station Ramol-Janatanagar Road, C.T.M., Ahmedabad-382449. (Guj. INDIA)
Contact Person	Mr. Mansukhbhai K. Mistry   Mr. Jayeshkumar M. Mistry
Mobile	+91-99244 53072   +91-96621 59988
E-mail	chamundamachineryindia@yahoo.com
Website	www.chamundamachinery.com www.pouchpackingmachineahmedabad.com

Note : Due to Continuous Research and Developments we Reserve the Rights to change the design and specification without notice.